## CARDIAC MEDICAL SOURCE STATEMENT

Froi	m:										
Re:	***************************************	(Name of Patient									
	-	(Social Security N									
		estions concerning your patient's ports, laboratory and test results									
1.	Frequency and length of c	ontact:									
2.	Diagnosis (with New York Heart Association functional classification):										
3.	Prognosis:										
<b>1</b> .	Identify clinical findings, laboratory and test results that show your patient's impairmen										
5.	Identify your patient's sign	lentify your patient's signs and symptoms:									
	☐ Chest pain ☐ Weakness ☐ Arrhythmia ☐ Exertional dyspnea ☐ Loss of appetite ☐ Syncope ☐ Hepatomegaly ☐ Paroxysmal ☐ nocturnal dyspnea	<ul> <li>☐ Anginal equivalent pain</li> <li>☐ Exercise intolerance</li> <li>☐ Orthopnea</li> <li>☐ Rest dyspnea</li> <li>☐ Peripheral edema</li> <li>☐ Near syncope</li> <li>☐ Prinzmetal's angina</li> </ul>	<ul> <li>☐ Chronic fatigue</li> <li>☐ Nausea</li> <li>☐ Dizziness</li> <li>☐ Nocturia</li> <li>☐ Pulmonary edema</li> <li>☐ Chronic cough</li> <li>☐ Palpitations</li> </ul>								
	Other:										
•											
		pisodes typically occur?									
	c. If your patient must typ typically rest?	oically rest after an episode of an	gina, how long will your patient								

From **Social Security Disability Practice** by Thomas E. Bush, copyright James Publishing. Used with permission. For information 800-440-4780 or www.JamesPublishing.com.

ir —	Describe the treatment and response including any side effects of medication that may hamplications for working, e.g., drowsiness, dizziness, nausea, etc:									
a.	a. What is the role of stress in bringing on your patient's symptoms?									
b.	b. To what degree can your patient tolerate work stress?									
	☐ Incapable of even "low stress" work ☐ Capable of moderate stress - normal work ☐ Capable of high stress work									
	Please explain the reasons for your conclusion:									
D de	o your patient's physical symptoms and limitations cause emotional difficulties such as epression or chronic anxiety?									
P	lease explain:									
D fu	Do emotional factors <i>contribute</i> to the severity of your patient's subjective symptoms and functional limitations?									
Ha	ave your patient's impairments lasted or can they be expected to last at least twelve onths?									
As yo	s a result of your patient's impairments, estimate your patient's functional limitations if ur patient were placed in a <i>competitive work situation</i> .									
a.	How many city blocks can your patient walk without rest or severe pain?									
b.	Please indicate how long your patient can sit and stand/walk <i>total in an 8-hour working day</i> (with normal breaks):									
	Sit Stand/walk									
c.	Does your patient need a job that permits shifting positions at will from sitting, standing or walking?  \[ \begin{align*} \text{Yes} & \begin{align*} \text{No} \end{align*}									
d.	Will your patient sometimes need to take unscheduled breaks during a working day?									
	If yes, 1) how <i>often</i> do you think this will happen?  2) how <i>long</i> (on average) will your patient have to rest before returning to work?									
	3) on such a break, will your patient need to □ lie down or □ sit quietly?									

e. With prolonge	ed sitting, shou	ld your pa	itient's leg(s) be	elevated? L	Yes L	l No						
If yes, 1	) how <i>hig</i>	how <i>high</i> should the leg(s) be elevated?										
2	if your patient had a sedentary job, what percentage of time during an 8-hour working day should the leg(s) be elevated?											
3	) what syn	use a need to el	o elevate the leg(s)?									
For this and other question means 6% to 33% of an 8-h												
f. How many por	unds can your p	oatient lift	and carry in a	competitive w	ork situati	ion?						
Less tha 10 lbs. 20 lbs. 50 lbs.	nn 10 lbs.	Never	Rarely	Occasionally	y Frequ	]						
g. How often can	your patient p	erform the	e following acti	vities?								
Twist Stoop (I Crouch/ Climb s Climb Is	squat tairs adders	Never	Rarely	Occasionally	Frequ	1						
ENVIRONMENTAL RESTRICTIONS	NO RESTRICT		AVOID CONCENTRA EXPOSUR	E' ATED MOD	OID VEN ERATE OSURE	AVOID ALL EXPOSURE						
Extreme cold Extreme heat High humidity Wetness Cigarette smoke Perfumes Soldering fluxes Solvents/cleaners Fumes, odors, gases Dust Chemicals												
List other irritants:												

	workday would your patient's symptoms likely be severe enough to interfere with attention and concentration needed to perform even simple work tasks?													
			0%		5%		10%		15%		20%		25% or n	nore
	j	Are yo	our p	atient'	's impa	airmen	ts likel	y to p	roduce	"good	l days" Yes	and "	bad days" No	?
	If yes, assuming your patient was trying to work full time, please estimate, on the average, how many days per month your patient is likely to be absent from work as a result of the impairments or treatment:										the ork as a			
	<ul><li>☐ Never</li><li>☐ About one day per mont</li><li>☐ About two days per mor</li></ul>													
13.	Are your patient's impairments (physical impairments plus any emotional impairments) as demonstrated by signs, clinical findings and laboratory or test results <i>reasonably consistent</i> with the symptoms and functional limitations described above in this evaluation?  \[ \sum_{\text{Yes}} \sum_{\text{No}} \text{No} \]								nents) as consistent					
	If no, please explain:													
14.	Please describe any other limitations (such as psychological limitations, limited vision, difficulty hearing, etc.) that would affect your patient's ability to work at a regular job on sustained basis:								ision, job on a					
						····								
		11-11-11-11-11			44.12.4									
 Date								Signa	lure					
				Pri	nted/T	yped N	lame: .							
				Ada	dress:		-				.v			
7-45													J	···
8/09 §234.3							-							
§234.3							-							